







Farbkennzeichen Gestell

Coloris du piètement | Colour code frame

-  S Silber | Argenté | Silver
(ähnlich | similaire | similar RAL 9006)
-  D Schwarz | Noir | Black
-  W Weiß | Blanc | White

VXB + VXBHM
Hubsäule / Kufe | Pied télescopique / patin | Lifting pillar / base

-  SS Silber / Silber (ähnlich RAL 9006)
Argenté / Argenté (similaire RAL 9006)
Silver / Silver (similar RAL 9006)
-  WW Weiß / Weiß
Blanc / Blanc
White / White
-  WC Weiß / Alu poliert
Blanc / Aluminium brillant
White / Polished aluminium
-  GG Graphit / Graphit
Graphite / Graphite
Graphite / Graphite
-  GC Graphit / Alu poliert
Graphite / Aluminium brillant
Graphite / Polished aluminium



Die abgebildeten Dekore sind nicht bei allen Programmen verfügbar. Foto- und drucktechnische Farbabweichungen der in dieser Broschüre abgebildeten Produkte im Original sind möglich.

Melaminharzbeschichtete Spanplatten nach DIN 68765.

Die Kanten sind stoßfest, die Beschichtung robust, kratzunempfindlich und beständig gegen haushaltsübliche Lösemittel.

Les revêtements représentés ci-dessous ne sont pas disponibles dans tous les programmes. Des écarts de coloris dûs aux procédés photographiques ou d'impression sont tout à fait possibles pour les produits figurant dans cette brochure.

Panneau de copeaux avec revêtement de mélamine d'après DIN 68765.

Les rebords résistent aux chocs. Le revêtement est robuste, il résiste aux égratignures et aux solvants domestiques.

The finishes illustrated here are not available for every programme. For technical reasons, the colour of the products photographed and printed in this brochure may vary from the original products.

Melamine resin coated chipboard to DIN 68765.

The edges are impact-resistant; the veneer is robust, does not scratch easily and is resistant to common household solvents.

